



Guangzhou Netech Environmental Technology Co., Ltd

Add: Room 108, No.18 Mubei West Street, Tianhe District, Guangzhou China

Tel: (8620) +38246009

Fax: (8620) +32032106

Contact person: Wendy He

Cell /Whatsapp: +86 13826080743

Email: sales04@gznetech.com

Service-Mail: service@gznetech.com

Skype: netech008

Ail-Web: <http://netech21v.en.alibaba.com/>


Service-Tel:+8613352827882

Com-Web: <http://www.ozonegeneratorsupplier.com/>

Portable Ozone Generators

Catalogue Content:

1. Output 100mg/hr mini ozone& ion generator model **NT-100mg**
2. Output 3g-5g/hr ozone generator model **NT-KTB and KTA**
3. Output 3g-7g/hr ozone generator model **NT-BT**
4. Output 3g-6g/hr ozone generator model **NT-BS**
5. Output 3g-7g/hr High ozone concentration model **NT-BP**
6. Output 3g-7g/hr Desktop high ozone concentration model **NT-ZTW**





Guangzhou Netech Environmental Technology Co., Ltd

Add: Room 108, No.18 Mubei West Street, Tianhe District, Guangzhou China

Tel: (8620) +38246009

Fax: (8620) +32032106

Contact person: Wendy He

Cell /Whatsapp: +86 13826080743

Email: sales04@gznetech.com

Service-Mail: service@gznetech.com

Skype: netech008

Ail-Web: <http://netech21v.en.alibaba.com/>

Service-Tel:+8613352827882

Com-Web: <http://www.ozonegeneratorsupplier.com/>

NT-KTB Portable Ozone Generator



Applications:

Air purifier, Ozone purifier, Ozone air sterilizer, Restaurant air sterilizer, Hotel room purifier, KTV smell remover

Sterilize and remove odor for farming, Keep fresh, wash and remove the residual pesticides for vegetable and fruits, Ozone generator for removing Formaldehyde, Refrigerator keep fresh equipment.

Purify for air conditioner room, Sterilize for kids clothes and toy, Sterilize for daily necessities, Home water purification, Remove chlorine and oxidation for heavy metals

Functions:

Sterilization: Can quickly kill all bacteria, viruses, but without secondary pollution.

Detoxication: effective remove of pesticide residues from food.

Remove odor: musty, smoke, smoke flavor, water stains etc.

Improve oxygen: improve oxygen for water or air.

Healthy: air purify, expedite human metabolism.

Features:

- Domestic Patent
- CE certification
- Ozone adjustable range: 20%-100%
- Two function for timer: 0-30mins or working continuously
- Changeable plug for different country
- Easy to operate, fashion design, portable

Specifications

Item	Gas flow rate	Power	Output gas tube	Fuse	Size	NW
Model	LPM	W	mm	A	mm	Kg
NT-KTB3G	10	80	φ6	3	320×160×275	4.6
NT-KTB5G		90				

Noted:

1. Above ozone capacity were tested under oxygen source
2. Net weight will be 10% different for different plug.



Guangzhou Netech Environmental Technology Co., Ltd

Add: Room 108, No.18 Mubei West Street, Tianhe District, Guangzhou China

Tel: (8620) +38246009

Contact person: Wendy He

Email: sales04@gznetech.com

Skype: netech008

Service-Tel:+8613352827882

Fax: (8620) +32032106

Cell /Whatsapp: +86 13826080743

Service-Mail: service@gznetech.com

Ali-Web: <http://netech21v.en.alibaba.com/>

Com-Web: <http://www.ozonegeneratorsupplier.com/>

NT-KTA Portable Ozone Generator



Applications:

Air purifier, Ozone purifier, Ozone air sterilizer, Restaurant air sterilizer, Hotel room purifier, KTV smell remover

Sterilize and remove odor for farming, Keep fresh, wash and remove the residual pesticides for vegetable and fruits, Ozone generator for removing Formaldehyde, Refrigerator keep fresh equipment.

Purify for air conditioner room, Sterilize for kids clothes and toy, Sterilize for daily necessities, Home water purification, Remove chlorine and oxidation for heavy metals

Functions:

Sterilization: Can quickly kill all bacteria, viruses, but without secondary pollution.

Detoxication: effective remove of pesticide residues from food.

Remove odor: musty, smoke, smoke flavor, water stains etc.

Improve oxygen: improve oxygen for water or air.

Healthy: air purify, expedite human metabolism.

Features:

- Domestic Patent
- Ozone adjustable range: 20%-100%
- Two function for timer: 0-30mins or working continuously
- Changeable plug for different country
- Easy to operate, fashion design, portable

Specifications

Item	Gas flow rate	Power	Output gas tube	Fuse	Size	NW
Model	LPM	W	mm	A	mm	Kg
NT-KTA3G	10	80	φ6	3	320×175×265	5.6
NT-KTA5G		90				

Noted:

1. Above ozone capacity were tested under oxygen source
2. Net weight will be 10% different for different plug.



Guangzhou Netech Environmental Technology Co., Ltd

Add: Room 108, No.18 Mubei West Street, Tianhe District, Guangzhou China

Tel: (8620) +38246009

Fax: (8620) +32032106

Contact person: Wendy He

Cell /Whatsapp: +86 13826080743

Email: sales04@gznetech.com

Service-Mail: service@gznetech.com

Skype: netech008

Ail-Web: <http://netech21v.en.alibaba.com/>

Service-Tel:+8613352827882

Com-Web: <http://www.ozonegeneratorsupplier.com/>

NT-BS Portable Ozone Generator



Applications:

Air purifier, Ozone purifier, Ozone air sterilizer, Restaurant air sterilizer, Hotel room purifier, KTV smell remover

Sterilize and remove odor for farming, Keep fresh, wash and remove the residual pesticides for vegetable and fruits, Ozone generator for removing Formaldehyde, Refrigerator keep fresh equipment.

Purify for air conditioner room, Sterilize for kids clothes and toy, Sterilize for daily necessities, Home water purification, Remove chlorine and oxidation for heavy metals

Functions:

Sterilization: Can quickly kill all bacteria, viruses, but without secondary pollution.

Detoxication: effective remove of pesticide residues from food.

Remove odor: musty, smoke, smoke flavor, water stains etc.

Improve oxygen: improve oxygen for water or air.

Healthy: air purify, expedite human metabolism.

Features:

- Domestic Patent
- Ozone adjustable range: 20%-100%
- Two function for timer: 0-30mins or working continuously
- Changeable plug for different country
- Easy to operate, fashion design, portable

Specifications

Item	Gas flow rate	Power	Output gas tube	Fuse	Size	NW
Model	LPM	W	mm	A	mm	Kg
NT-BS3G	10	80	φ6	3	370×160×295	5.6
NT-BS5G		90				
NT-BS6G		110				

·Noted:

1. Above ozone capacity were tested under oxygen source
2. Net weight will be 10% different for different plug.



Guangzhou Netech Environmental Technology Co., Ltd

Add: Room 108, No.18 Mubei West Street, Tianhe District, Guangzhou China

Tel: (8620) +38246009

Fax: (8620) +32032106

Contact person: Wendy He

Cell /Whatsapp: +86 13826080743

Email: sales04@gznetech.com

Service-Mail: service@gznetech.com

Skype: netech008

Ail-Web: <http://netech21v.en.alibaba.com/>

Service-Tel:+8613352827882

Com-Web: <http://www.ozonegeneratorsupplier.com/>

NT-BT Portable Ozone Generator



Applications:

Air purifier, Ozone purifier, Ozone air sterilizer, Restaurant air sterilizer, Hotel room purifier, KTV smell remover.

Sterilize and remove odor for farming, Keep fresh, wash and remove the residual pesticides for vegetable and fruits, Ozone generator for removing Formaldehyde, Refrigerator keep fresh equipment.

Purify for air conditioner room, Sterilize for kids clothes and toy, Sterilize for daily necessities, Home water purification, Remove chlorine and oxidation for heavy metals

Functions:

Sterilization: Can quickly kill all bacteria, viruses, but without secondary pollution.

Detoxication: effective remove of pesticide residues from food.

Remove odor: musty, smoke, smoke flavor, water stains etc.

Improve oxygen: improve oxygen for water or air.

Healthy: air purify, expedite human metabolism.

Features:

- Domestic Patent
- CE certification
- Ozone adjustable range: 20%-100%
- Two function for timer: 0-30mins or working continuously
- Changeable plug for different country
- Easy to operate, fashion design, portable

Specifications

Item	Gas flow rate	Power	Output gas tube	Fuse	Size	NW
Model	LPM	W	mm	A	mm	Kg
NT-BT3G	10	80	φ6	3	365×165×275	5.6
NT-BT5G		90				
NT-BT6G		110				
NT-BT7G		120				6

Noted:

1. Above ozone capacity were tested under oxygen source
2. Net weight will be 10% different for different plug.



Guangzhou Netech Environmental Technology Co., Ltd

Add: Room 108, No.18 Mubei West Street, Tianhe District, Guangzhou China

Tel: (8620) +38246009

Fax: (8620) +32032106

Contact person: Wendy He

Cell /Whatsapp: +86 13826080743

Email: sales04@gznetech.com

Service-Mail: service@gznetech.com

Skype: netech008

Ail-Web: <http://netech21v.en.alibaba.com/>

Service-Tel:+8613352827882

Com-Web: <http://www.ozonegeneratorsupplier.com/>

NT-BP Portable Ozone Generator



Applications:

Air purifier, Ozone purifier, Ozone air sterilizer, Restaurant air sterilizer, Hotel room purifier, KTV smell remover

Sterilize and remove odor for farming, Keep fresh, wash and remove the residual pesticides for vegetable and fruits, Ozone generator for removing Formaldehyde, Refrigerator keep fresh equipment.

Purify for air conditioner room, Sterilize for kids clothes and toy, Sterilize for daily necessities, Home water purification, Remove chlorine and oxidation for heavy metals

Functions:

Sterilization: Can quickly kill all bacteria, viruses, but without secondary pollution.

Detoxication: effective remove of pesticide residues from food.

Remove odor: musty, smoke, smoke flavor, water stains etc.

Improve oxygen: improve oxygen for water or air.

Healthy: air purify, expedite human metabolism.

Features:

- Domestic Patent
- Ozone adjustable range: 20%-100%
- Two function for timer: 0-30mins or working continuously
- Assembled with air pump switch, it can connected with outside oxygen feed
- Changeable plug for different country
- Easy to operate, fashion design, portable

Specifications

Item	Gas flow rate	Power	Output gas tube	Fuse	Size	NW
Model	LPM	W	mm	A	mm	Kg
NT-BP3G	45	110	φ6	3	390×230×310	8.5
NT-BP5G		120				8.6
NT-BP6G		140				8.7
NT-BP7G		150				8.8

·Noted:

1. Above ozone capacity were tested under oxygen source
2. Net weight will be 10% different for different plug.



Guangzhou Netech Environmental Technology Co., Ltd

Add: Room 108, No.18 Mubei West Street, Tianhe District, Guangzhou China

Tel: (8620) +38246009

Fax: (8620) +32032106

Contact person: Wendy He

Cell /Whatsapp: +86 13826080743

Email: sales04@gznetech.com

Service-Mail: service@gznetech.com

Skype: netech008

Ail-Web: <http://netech21v.en.alibaba.com/>

Service-Tel:+8613352827882

Com-Web: <http://www.ozonegeneratorsupplier.com/>

Desktop Lab Ozone Generator



Applications:

Laboratory: Chemical oxidation for raw material of flavors and fragrances, small water treatment experiment

Pharmaceutical industry: Water, air conditioner, workshop, dressing room, sterile room etc

Medical: Ward, operating room, medical devices, sterile room etc

Features:

1. Corona Discharge technology
2. Built in Domestic Patent-Ceramic ozone tube with electric board
3. Feed outside oxygen source only with high ozone concentration
4. Ozone adjustable range: 20%-100%
5. Digital Timer : one or two recycle working time
6. Stylish, small size, plug& play
7. Changeable plug for different country.
8. Output : 3G/Hr, 5G/Hr, 6G/Hr, 7G/Hr.
9. Suitable used for the line which required high ozone concentration

Control panel:

Flow meter, Ozone adjuster, Oxygen input, Ozone output, Ampmeter, Switch, Timer, Working light, Power light

Specifications:

Item	Oxygen flow rate	Power	Output gas tube	Fuse	Size	NW
Model	LPM	W	mm	A	mm	Kg
NT-ZTW 3G	1	80	φ6	3	400×370×150	8.2
NT-ZTW 5G	1	90				8.3
NT-ZTW 6G	2	110				8.4
NT-ZTW 7G	2	120				8.5

Notes:

1. Above ozone capacity were tested under oxygen source
2. Net weight will be 10% different for different plug.



Guangzhou Netech Environmental Technology Co., Ltd

Add: Room 108, No.18 Mubei West Street, Tianhe District, Guangzhou China

Tel: (8620) +38246009

Contact person: Wendy He

Email: sales04@gznetech.com

Skype: netech008

Service-Tel: +8613352827882

Fax: (8620) +32032106

Cell /Whatsapp: +86 13826080743

Service-Mail: service@gznetech.com

AIL-Web: <http://netech21v.en.alibaba.com/>

Com-Web: <http://www.ozonegeneratorsupplier.com/>

100mg/hr mini ozone& ion generator

NT-100mg



Features:

1. Health care, create atom of oxygen, improve function of lung protective cilia
2. Expedite metabolism, negative ion can improve human immunity and improves anti-illness capacity
3. Quickly purify the air with decompose the harmful air
4. Remove a myriad of odors from smoke, pets, animals, cooking, mold, mildew, etc
5. Keep air fresher and cleaner for hotel, motel rooms, vehicles, cars, etc
6. Refrigerator sterilization and keep food fresh for longer time
7. Remove hormone and other additives from meat; remove fishy smell, virus from seafood
8. Skin care and facial for women: to clear away pore dirt, bacteria and prevent freckles, etc
9. Ozone output: 100mg/h
10. Small in size, plug & play
11. Cheap price, good quality

Specification:

Input power supply: 110V/60Hz, 220V/50Hz

Power: $\leq 9W$

Output air pressure: 0.01Mpa

Ozone output: 100mg/h

Size: 200×160×60mm

Net weight: 0.65Kg

Setting:

Ozone working 20 mins, then stop 30 mins, then circulation.

Anion working 1 hour, then stop 30mins, then circulation.



Guangzhou Netech Environmental Technology Co., Ltd

Add: Room 108, No.18 Mubei West Street, Tianhe District, Guangzhou China

Tel: (8620) +38246009

Contact person: Wendy He

Email: sales04@gznetech.com

Skype: netech008

Service-Tel: +8613352827882

Fax: (8620) +32032106

Cell /Whatsapp: +86 13826080743

Service-Mail: service@gznetech.com

AIL-Web: <http://netech21v.en.alibaba.com/>

Com-Web: <http://www.ozonegeneratorsupplier.com/>

CH-JY200MG



| Model

CH-JY200MG

| Ozone production

200mg

| Power input

DC12V

| Power

9.5W

| Outlet diameter

φ6mm

| Dimensions

L155 ×W120 ×H63mm

| Fitting

Adapter

Applies |

- ⊙Home ⊙Gym
- ⊙Hotel ⊙Internet bar
- ⊙Car ⊙Basement
- ⊙KTV ⊙Laundry room
- ⊙Office

| Function

- ⊙Indoor disinfection, inhibit the growth of bacteria
- ⊙ Domestic water purification treatment
- ⊙Decomposition of fruits and vegetables pesticide residue and prolong the storage time.
- ⊙Decomposition of formaldehyde, toluene and other harmful substances.
- ⊙ Decomposition of meat hormones and antibiotic residues.
- ⊙ Remove indoor smoke and other odors.

| Feature

- Domestic patent
- Automatic fault detection
- Portable, movable, easy operation ,easy maintenance
- Good dispersion effect, the ozone gas fully diffuse into air
- High quality glass ozone tube, long use life
- New and fashion design